

**BEDFORD TOWNSHIP MUNICIPAL AUTHORITY
PERMIT, VIOLATION AND NON-COMPLIANCE FEE SCHEDULE**

PERMIT FEES		
Description	Comments	Fee
INDUSTRIAL PRE-TREATMENT PROGRAM - Permit Fees		
Tier 1 Industrial User	Annual Fee	\$ 6,500.00
Tier 2 Industrial User	Annual Fee	\$ 3,100.00
Tier 3 Industrial User	Annual Fee	\$ 1,350.00
<i>*Subsequent outfalls assessed at 50% assigned permit fee</i>		
COMMERCIAL ESTABLISHMENTS - Permit Fees		
Restaurants	Annual Fee	\$ 450.00
Garages	Annual Fee	\$ 450.00
Facilities w/ Commercial Kitchens	Annual Fee	\$ 450.00
Misc. Facilities	Annual Fee	\$ 450.00

ANALYTIC VIOLATION FEES (per sample)				
PARAMETER	Local Limit (mg/L)	>1 - 2x	>2 - 3x	>3x
Aluminum	10.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Arsenic	0.05	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Cadmium	0.01	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Chromium	0.10	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Copper	0.25	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Cyanide (T)	0.10	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Iron	7.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Lead	0.30	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Mercury	0.002	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Molybdenum	0.11	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Nickel	0.51	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Selenium	0.01	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Silver	0.05	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Zinc	0.50	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Ammonia	65.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
BOD	300.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Oil and Grease	100.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Phenolics	1.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Phosphorus (T)	10.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
Sodium	175.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
TDS	850.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
TSS	350.00	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect
PARAMETER	Local Limit (pH Units)	5 - 5.99 or 9.01 - 10	4 - 4.99 or 10.01 - 11	<4 or >11
pH	6 - 9 S.U.	\$ 750.00	\$ 1,500.00	\$ 3,000.00 and Disconnect

INDUSTRIAL USER NON-COMPLIANCE FEES		
DESCRIPTION	Required Response Time	Fee
Notice of Violation (NOV)	30 Days	\$ 1,000.00
Notice of Violation (NOV)	60 Days	\$ 5,000.00
Notice of Violation (NOV)	90 Days	\$ 10,000.00 and Disconnect
A 30 day extension may be granted at the Authority's discretion to a customer receiving an NOV. Please note that the original timeline of established assessments shall not be altered if failure to comply with the NOV occurs, therefore, if an extension is granted prior to the exhaustion of the first 30 day period and a Corrective Action Plan has not been received within 60 days since NOV issuance, then an assessment of \$5,000 shall apply and so forth.		

COMMERCIAL ESTABLISHMENT NON-COMPLIANCE FEES		
DESCRIPTION	Required Response Time	Fee
Notice of Violation (NOV)	30 Days	\$ 350.00
Notice of Violation (NOV)	60 Days	\$ 750.00
Notice of Violation (NOV)	90 Days	\$ 1,500.00 and Disconnect
A 30 day extension may be granted at the Authority's discretion to a customer receiving an NOV. Please note that the original timeline of established assessments shall not be altered if failure to comply with the NOV occurs, therefore, if an extension is granted prior to the exhaustion of the first 30 day period and a Corrective Action Plan has not been received within 60 days since NOV issuance, then an assessment of \$750.00 shall apply and so forth.		